



MP Biomedicals, LLC

29525 Fountain Parkway
Solon, Ohio 44139

Telephone: 440/337-1200
Toll Free: 800/854-0530
Fax: 440/337-1180
web: <http://www.mpbio.com>

Certificate of Analysis

Product Description: MP Alumina A, Super I
Catalog Number: 04592; 04595; 04598; 04601
Lot: 46

Formula: N/A

CAS #: N/A

Physical Description: White to Off-white Powder

Formula Weight: N/A

Storage: 15 - 30°C

Test	Specification	Result
Identity Test	Passes	Passes
pH	4.2 - 4.8	4.4
Activity according to Brockmann	14 - 18 l/mm	14 l/mm
Loss of Ignition	1.1 - 1.5%	1.1%
Chloride	0.4 - 0.6%	0.6%
Particle Size Distribution	fine parts <63 µm: ≤10% large parts >200 µm: ≤5%	5.7% 0.4%

Recommended Retest Date: 03/04/2023

05/10/2018 - John Huang, PhD
MP Biomedicals, LLC.
Quality Control Manager

This is an electronically generated document

<mailto:biotech@mpbio.com>

<http://www.mpbio.com>

Online Ordering, MSDSs, certificates of analysis and data sheets now available on our web site
Technical Service: 1-800-279-5490 (440-337-1200) Customer Service: 1-800-854-0530 (440-337-1200)